

ourstory

It started with a simple bonfire in the heart of the Australian continent, under the red Ayers Rock. Two tourists, Alfred Weilandt and Jerry Dobrowski were sitting by the fire, long into the night, listening to Aboriginal tales about a mythical Epoch of Dreams. The atmosphere created by the flames inspired the two to find an easy way to have

the same fire in contemporary interiors. They intended to overcome the existing difficulties in the form of soot, ash and the need for a chimney, all of which are associated with fire in an interior space. Contemporary lifestyle demands products that through design have a character of their own but are safe and easy to use. After months spent on designing and testing, they came up with a product combining the beauty of form and the comfort of use thanks to bioethanol fuel. But most of all a product that satisfies the olavistic need to commune with fire.

designfire

We took on the challenging task and went beyond all the established boundaries to design fire like never before. Our endeavours lead us to develop solutions that allow us to arrange a natural fire in any space, be it indoor or outdoor.

As a world leader in fully automatic fireplaces, we guarantee the convenience and safety of our products. We listen to our clients carefully to provide individually customized products. Our offer covers not zero bioethanol fireplaces with patented BEV®Technology and gas fire solutions that provide a lot of freedom in designing your perfect space with fire as the focal point.

The recognition says it all. Planka is global. With an extensive distribution network, we are present in over 100 countries around the world. But the success also lies in the concept of a real organization that Planka adopted. In our company, there is no hierarchy. All the employees are given freedom in managing their working schedule and have a real influence in the process of product creation.

~This made it possible to give you truly unique solutions in fire design.

Planka

AUTOMATIC

BEV[®] FIREPLACES


INDOOR COLLECTION



Fire Line Automatic
BEV[®] Burner
Design by Porada

The BEV® technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level! You can use fireplaces with the BEV® technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

PLANIKA AUTOMATIC FIRE



Without chimney	No smell, no soot, no ash	No contact between fuel and fire	Controlled by mobile app or a remote
Automatic refuelling	Safety sensors	Real fire	Easy installation

HOW DOES THE BEV® TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV® technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO₂ - neutral fireplaces of the future.

WHAT IS FANOLA FUEL?

- ✓ 96% ethanol concentration
- ✓ odourless and clean combustion
- ✓ plant-origin distillate
- ✓ particulate-free
- ✓ multi-distillated
- ✓ pharmaceutical quality
- ✓ natural, golden flame



HOW ARE PLANIKA'S BEV® FIREPLACES CO₂ NEUTRAL?



Planika's fireplaces utilize multi-refined bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV® Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and the most natural fire. The clean burning of ethanol vapours emits only a small amount of CO₂ - similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS



PROJECT SUPPORT

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



FIRE LINE AUTOMATIC 4+ (FLA4+ BURNER)



FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- Top finish:
 - Black powder coating (standard)
 - Stainless steel (optional)
 - RAL colour (optional)

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adoptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



ARRANGEMENT OPTIONS




	FLA4 / FLA4+							230 V						
	590 mm	790 mm	990 mm	1190 mm	1490 mm	1990 mm	2490 mm							
	max. 3.1 kW	max. 4.4 kW	max. 7.0 kW	max. 9.4 kW	max. 13.0 kW	max. 18.0 kW	max. 22.5 kW							
	3.1 l / 9.6 l	4.3 l / 13.4 l	5.5 l / 17.2 l	6.8 l / 21.0 l	8.6 l / 26.8 l	11.7 l / 36.3 l	14.8 l / 45.9 l							
	max. 5.0 h / 16.0 h	max. 8.0 h / 25.0 h	max. 8.0 h / 26.0 h	max. 9.0 h / 30.0 h	max. 9.0 h / 30.0 h	max. 10.0 h / 31.0 h	max. 10.0 h / 31.0 h							
	min. 3 l m³	min. 4.4 m³	min. 7.0 m³	min. 9.4 m³	min. 13.0 m³	min. 18.0 m³	min. 22.5 m³							
	109 kg / 22.4 kg	24.1 kg / 32.0 kg	27.5 kg / 38.5 kg	33.0 kg / 44.0 kg	39.5 kg / 52.5 kg	49.5 kg / 67.5 kg	58.5 kg / 81.5 kg							




Fire Line Automatic
Park Hyatt Auckland
Conran&Partners



Fire Line Automatic
Clearfire - Cascais project



Fire Line Automatic
BEV® Burner
Design by Azovsky + Pahomova



Fire Line Automatic
BEV® Burner
Kominiki LAU



Fire Line Automatic
BEV® Burner
Design by Vibielle

FIRST OF ITS KIND FIREPLACE ON A YACHT



Fire Line Automatic
BEV® Burner
Design by Mondomarine
Serenity yacht

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



FORMA FIREPLACE (with FLA4 / FLA4+ burner)



- FEATURES
- FLA4/FLA4+ technical features
 - Zero clearance – installation in combustible materials
 - Heat deflector – mount TV above the fireplace
 - 7 lengths and 7 arrangement options
 - Easy installation
 - Higher side glass panels available in Tunnel, Room Divider and Island models

- OPTIONAL ACCESSORIES
- Decorative tray with logs or stones
 - Smart Home System module


ARRANGEMENT OPTIONS



FORMA FIREPLACE WITH FLA4 / FLA4+ BURNER						
BURNER 590 mm	max. 3.1 kW	FLA4 3.1 L	FLA4 4.3 L	FLA4 5.5 L	FLA4 6.8 L	FLA4 8.6 L
BURNER 790 mm	max. 4.4 kW	FLA4+ 9.6 L	FLA4+ 13.4 L	FLA4+ 17.2 L	FLA4+ 21.0 L	FLA4+ 26.8 L
BURNER 990 mm	max. 7.0 kW	FLA4 8.0 h	FLA4+ max. 25.0 h	FLA4+ max. 26.0 h	FLA4+ max. 30.0 h	FLA4+ max. 30.0 h
BURNER 1190 mm	max. 9.4 kW	FLA4 max. 9.0 h	FLA4+ max. 30.0 h	FLA4+ max. 30.0 h	FLA4+ max. 30.0 h	FLA4+ max. 30.0 h
BURNER 1300 mm	max. 13.0 kW	FLA4 max. 10.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h
BURNER 1490 mm	max. 18.0 kW	FLA4 max. 10.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h
BURNER 1800 mm	max. 22.5 kW	FLA4 max. 10.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h
BURNER 2490 mm	max. 22.5 kW	FLA4 max. 10.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h
BURNER 2700 mm	max. 22.5 kW	FLA4 max. 10.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h	FLA4+ max. 31.0 h



Fire Line Automatic
BEV® Burner
Design by Ellemore Huang Shan



Fire Line Automatic
BEV® Burner
Design by Patrick Helou



Fire Line Automatic
BEV® burner
Design by Sylwia Szczepińska Mariposa Studio Architektury
Published in Elle Decoration Polska

INDOOR ETHANOL FIRES

PANORAMA FIREPLACE




- FEATURES
- Automatic refilling system
 - External control panel
 - Remote control
 - Wi-Fi
 - 6 levels of flame
 - Safety sensors
 - Glass enclosed
 - Glass foam granulate included
 - Zero clearance
 - Finish: black powder coating
 - Smart Home System compatible

OPTIONAL ACCESSORIES

- Decorative logs or stones
- Smart Home System module



	BURNER 990 mm
	max. 20 kW
	5.5 L
	max. 100 h
	min. 20 m³
	230 V



Panorama RD
BEV® Fireplace



Panorama TS
BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



STONE CORE



STONE KOVIK / LAURENT / DAZE



- FEATURES
- Automatic refilling system
 - Remote control
 - Wi-Fi
 - 6 levels of flame
 - Safety sensors
 - Glass enclosed
 - Glass foam granulate included
 - Smart Home System compatible
- OPTIONAL ACCESSORIES
- Smart Home System module
- AVAILABLE FINISHING VARIANTS
- 3 finish options with **DEKTON**® by Cosentino:
 - Laurent, Daze and Kovik
 - Stone Core for custom-built housing

	max. 5 kW
	13.4 L
	max. 29 h
	min. 50 m³
	230 V



Stone Daze

BEV® Fireplace

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



ROCK CORE



ROCK KOVIK / LAURENT / DAZE



- FEATURES
- Easy refilling - replaceable canister
 - Remote control
 - 2 levels of flame
 - Safety sensors
 - Glass enclosed
 - Glass foam granulate included
- AVAILABLE FINISHING VARIANTS
- 3 finish options with **DEKTON**® by Cosentino:
 - Laurent, Daze and Kovik
 - Rock Stone Core for custom-built housing

	max. 3.5 kW
	5 L
	max. 33 h
	min. 35 m³
	230 V

Rock Daze

BEV® fireplace

PRIME FIRE BURNER



FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- Top finish: black powder coating

OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Adoptive frame with glass screens for Island arrangements, Tunnel, Room Divider and Freestanding.

ARRANGEMENT OPTIONS



	PRIME FIRE			
	590 mm	790 mm	max. 4.4kW	max. 3.1 kW
	3.1 l	4.3 l	max. 8.0 h	max. 5.0 h
	19.9 kg	24.1 kg	min. 4.4 m²	min. 3 m²
	230 V	27.5 kg	33.0 kg	



Prime Fire

BEV® Burner

Project: 上海陆家嘴 滨江凯悦门

Design by: 上海观安设计

The designer: 李晋娜



Prime Fire

BEV® Burner

House CC- Elegant Lifestyle

design by: AIO Grafik RO

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



NEO BURNER



- FEATURES
- Automatic refilling system
 - Remote control
 - 2 levels of flame
 - Safety sensors

OPTIONAL ACCESSORIES

- Decorative grate with logs

NEO FIREPLACE



- FEATURES
- Zero clearance
 - Automatic refilling system
 - Remote control
 - 2 levels of flame
 - Safety sensors

DETACHABLE SIDE PANELS



OPTIONAL ACCESSORIES

- Decorative grate with logs

NEO BURNER 500 / 750 / 1000		3.1 / 4.1 / 5.9 kW	1.7 / 2.1 / 2.9 L	5 / 6 / 4 h	min. 31 / 41 / 59 m³
NEO FIREPLACE 500 / 750 / 1000		3.1 / 4.1 / 5.9 kW	1.7 / 2.1 / 2.9 L	5 / 6 / 4 h	min. 31 / 41 / 59 m³
		230 V			



Neo Fireplace

BEV®



- FEATURES
- Removable fuel tank
 - Freestanding
 - Remote control
 - 2 levels of flame
 - Safety sensors
 - Decorative logs set included
 - Finish: black powder coating



- FEATURES
- Removable fuel tank
 - Freestanding
 - Flue connector (for optional heat extraction)
 - Remote control
 - 2 levels of flame
 - Safety sensors
 - Finish: black powder coating
- OPTIONAL ACCESSORIES
- Decorative logs or pebbles

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



Polaris

BEV® Fireplace



Scandi

BEV® Fireplace


@architekt_mo_home

INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



L-FIRE BURNER



- FEATURES**
- Automatic refilling system
 - Remote control
 - 2 levels of flame
 - Safety sensors
 - Finish: black powder cooling

L-FIRE FIREPLACE



- FEATURES**
- Automatic refilling system
 - Remote control
 - 2 levels of flame
 - Safety sensors
 - Finish: black powder cooling
 - Optional frame or frame + mesh

BASKET FIRE LOGS



- FEATURES**
- Automatic refilling system
 - Freestanding
 - Remote control
 - 2 levels of flame
 - Safety sensors
 - Finish: black powder cooling
 - Decorative grille

	max. 4,4 kW	max. 4,4 kW	max. 2,8 kW
	6,0 L	6,0 L	1,75 L
	max. 13 h	max. 13 h	max. 6,5 h
	min. 4,4 m³	min. 4,4 m³	min. 28 m³
	15,2 kg	27 kg	14,5 kg
	230 V		



L-Fire in Casing
BEV® Fireplace



Basket Fire Logs
BEV® Fireplace